

# Model ST121D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST121D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (V)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	2hp	85	6
277	15	No	60	2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST123D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST123D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (v)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	2hp	85	6
277	15	No	60	2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST124D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST124D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (V)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	1-1/2hp	85	6
277	15	No	60	1-1/2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST125D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST125D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (V)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	2hp	85	6
277	15	No	60	2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST12DD00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST12DD00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (V)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	1-1/2hp	85	6
277	15	No	60	1-1/2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST141D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST141D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (v)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	2hp	85	6
277	15	No	60	2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST143D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST143D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (v)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	2hp	85	6
277	15	No	60	2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST144D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST144D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (V)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	1-1/2hp	85	6
277	15	No	60	1-1/2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST144D10

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST144D10

## SPECIAL USE SWITCH RATINGS

Voltage Rating (V)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	1-1/2hp	85	6
277	15	No	60	1-1/2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST145D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST145D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (v)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	2hp	85	6
277	15	No	60	2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST145D10

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST145D10

## SPECIAL USE SWITCH RATINGS

Voltage Rating (v)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	2hp	85	6
277	15	No	60	2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST14DD00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST14DD00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (V)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	1-1/2hp	85	6
277	15	No	60	1-1/2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST14DD10

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST14DD10

## SPECIAL USE SWITCH RATINGS

Voltage Rating (V)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	1-1/2hp	85	6
277	15	No	60	1-1/2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST161D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST161D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (v)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	2hp	85	6
277	15	No	60	2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST163D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST163D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (v)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	2hp	85	6
277	15	No	60	2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST164D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST164D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (V)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	1-1/2hp	85	6
277	15	No	60	1-1/2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST164D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST164D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (V)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	1-1/2hp	85	6
277	15	No	60	1-1/2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST165D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST165D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (v)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	2hp	85	6
277	15	No	60	2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST16DD00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST16DD00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (V)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	1-1/2hp	85	6
277	15	No	60	1-1/2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST1W061D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST1W061D00

## SPECIAL USE SWITCH RATINGS

Voltage Rating (v)	Amps (A)	dc	Hz (Hz)	Load	Temp (°C)	Endurance (kCycles)
125	20	No	60	2hp	85	6
277	15	No	60	2hp	85	6

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST121D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST121D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST121D00

File Number: E194579

**COMPANY**

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

**MODEL INFO**

ST121D00

Appliance Switch

**APPLIANCE SWITCHES**

**VALUE**

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

**APPLIANCE SWITCH RATINGS**

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST123D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST123D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST123D00

File Number: E194579

**COMPANY**

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

**MODEL INFO**

ST123D00

Appliance Switch

**APPLIANCE SWITCHES**

**VALUE**

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

**APPLIANCE SWITCH RATINGS**

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST124D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST124D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(12)	--	--	125	50-60	T55	50
RM	18(12)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST124D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST124D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(12)	--	--	125	50-60	T55	50
RM	18(12)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST125D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST125D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST12DD00

File Number: E194579

**COMPANY**

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

**MODEL INFO**

ST12DD00

Appliance Switch

**APPLIANCE SWITCHES**

**VALUE**

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

**APPLIANCE SWITCH RATINGS**

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(12)	--	--	125	50-60	T55	50
RM	18(12)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST141D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST141D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST143D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST143D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST144D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST144D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(12)	--	--	125	50-60	T55	50
RM	18(12)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST144D10

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST144D10

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(12)	--	--	125	50-60	T55	50
RM	18(12)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST145D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST145D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST145D10

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST145D10

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST14DD00

File Number: E194579

**COMPANY**

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

**MODEL INFO**

ST14DD00

Appliance Switch

**APPLIANCE SWITCHES**

**VALUE**

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

**APPLIANCE SWITCH RATINGS**

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(12)	--	--	125	50-60	T55	50
RM	18(12)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST14DD10

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST14DD10

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(12)	--	--	125	50-60	T55	50
RM	18(12)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST161D00

File Number: E194579

**COMPANY**

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

**MODEL INFO**

ST161D00

Appliance Switch

**APPLIANCE SWITCHES**

**VALUE**

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

**APPLIANCE SWITCH RATINGS**

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST163D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST163D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST164D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST164D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(12)	--	--	125	50-60	T55	50
RM	18(12)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST165D00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST165D00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST16DD00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST16DD00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(12)	--	--	125	50-60	T55	50
RM	18(12)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST16DD00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST16DD00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(12)	--	--	125	50-60	T55	50
RM	18(12)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST16DD00

File Number: E194579

## COMPANY

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

## MODEL INFO

ST16DD00

Appliance Switch

## APPLIANCE SWITCHES

## VALUE

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

## APPLIANCE SWITCH RATINGS

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(12)	--	--	125	50-60	T55	50
RM	18(12)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST1W061D00

File Number: E194579

**COMPANY**

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

**MODEL INFO**

ST1W061D00

Appliance Switch

**APPLIANCE SWITCHES**

**VALUE**

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

**APPLIANCE SWITCH RATINGS**

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



# Model ST1W061D00

File Number: E194579

**COMPANY**

**E-SWITCH INC, DBA LAMB INDUSTRIES**

7153 NORTHLAND DR N.

BROOKLYN PARK, MN 55428 United States

**MODEL INFO**

ST1W061D00

Appliance Switch

**APPLIANCE SWITCHES**

**VALUE**

US Standard	ANSI/UL 61058-1
CN Standard	CAN/CSA-C22.2 No. 61058-1
Category	Appliance Switch
Type of switch	Rocker

**APPLIANCE SWITCH RATINGS**

Load	Current (A)	HP	Power (w)	Voltage (v)	Frequency (Hz)	T Rating	Endurance (kCycles)
RM	18(15)	--	--	125	50-60	T55	50
RM	18(15)	--	--	125	50-60	T55	50

Report Date: 2010-07-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."



Investigated to ANSI/UL 1054

Cat. No. Cat. No.	Amps	Volts	Hz	Load	Endur- ance	Temp (°C)	POL/ THR	Circuit Code	SPCOA
<i>ST113, ST123, ST143, ST163</i>	20	125	60	2hp	6K	85	M/M	PP/-	-
	15	277	60	2hp	6K				
<i>ST114, ST124, ST144, ST164</i>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<i>ST115, ST125, ST145, ST165</i>	20	125	60	2hp	6K	85	M/M	PP/-	-
	15	277	60	2hp	6K				
<i>ST11C</i>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<i>ST11D</i>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<i>ST11M</i>	20	125	60	2hp	6K	85	M/M	PP/-	-
	15	277	60	2hp	6K				
<i>ST11202</i>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<i>ST121</i>	20	125	60	2hp	6K	85	M/M	PP/-	-
	15	277	60	2hp	6K				
<i>ST121D00</i>	20	125	60	2hp	6K	85	1/M	-/-	-
	15	277	60	2hp	6K				
<i>ST123D00</i>	20	125	60	2hp	6K	85	1/M	-/-	-
	15	277	60	2hp	6K				
<i>ST124D00</i>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<i>ST125D00</i>	20	125	60	2hp	6K	85	1/M	-/-	-
	15	277	60	2hp	6K				
<i>ST12C</i>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<i>ST12D</i>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<i>ST12DD00</i>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<i>ST12E</i>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<i>ST12M</i>	20	125	60	2hp	6K	85	M/M	PP/-	-
	15	277	60	2hp	6K				
<i>ST12Z02</i>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<i>ST141</i>	20	125	60	2hp	6K	85	M/M	PP/-	-
	15	277	60	2hp	6K				
<i>ST141D00</i>	20	125	60	2hp	6K	85	1/M	-/-	-
	15	277	60	2hp	6K				

<b>ST143D00</b>	15	277	60	2hp	6K					
<b>ST144D00</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-	
	15	277	60	1-1/2hp	6K					
<b>ST144D10</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-	
	15	277	60	1-1/2hp	6K					
<b>ST145D00</b>	20	125	60	2hp	6K	85	1/M	-/-	-	
	15	277	60	2hp	6K					
<b>ST145D10</b>	20	125	60	2hp	6K	85	1/M	-/-	-	
	15	277	60	2hp	6K					
<b>ST14C</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-	
	15	277	60	1-1/2hp	6K					
<b>ST14D</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-	
	15	277	60	1-1/2hp	6K					
<b>ST14DD00</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-	
	15	277	60	1-1/2hp	6K					
<b>ST14DD10</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-	
	15	277	60	1-1/2hp	6K					
<b>ST14E</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-	
	15	277	60	1-1/2hp	6K					
<b>ST14M</b>	20	125	60	2hp	6K	85	M/M	PP/-	-	
	15	277	60	2hp	6K					
<b>ST14Z02</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-	
	15	277	60	1-1/2hp	6K					
<b>ST161</b>	20	125	60	2hp	6K	85	M/M	PP/-	-	
	15	277	60	2hp	6K					
<b>ST161D00</b>	20	125	60	2hp	6K	85	1/M	-/-	-	
	15	277	60	2hp	6K					
<b>ST163D00</b>	20	125	60	2hp	6K	85	1/M	-/-	-	
	15	277	60	2hp	6K					
<b>ST164D00</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-	
	15	277	60	1-1/2hp	6K					
<b>ST165D00</b>	20	125	60	2hp	6K	85	1/M	-/-	-	
	15	277	60	2hp	6K					
<b>ST16C</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-	
	15	277	60	1-1/2hp	6K					
<b>ST16D</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-	
	15	277	60	1-1/2hp	6K					

<b>ST16DD00</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<b>ST16E</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<b>ST16M</b>	20	125	60	2hp	6K	85	M/M	PP/-	-
	15	277	60	2hp	6K				
<b>ST16Z02</b>	20	125	60	1-1/2hp	6K	85	M/M	PP/-	-
	15	277	60	1-1/2hp	6K				
<b>ST1W061D00</b>	20	125	60	2hp	6K	85	1/M	-/-	-
	15	277	60	2hp	6K				